


VF VEDAÇÃO E FIXAÇÃO LTDA.

ANÉIS PARA EIXOS DIN 471 TIPO E GRUPO 501

d_3 é o diâmetro do anel não tensionado



Os anéis do grupo 501 são fornecidos facultativamente numa das formas acima

Código VF	d_1	ANEL							RANHURA				DADOS COMPLEMENTARES							
		e	d_3	Tol.	a max.	b ~	d_5 min.	Peso Kg/1000	d_2	Tol.	m	t	n min.	PN (Kgf)	PR (Kgf)	g máx.	PRg (Kgf)	FN (mm ²)	K (Kgf mm)	n. adm. (RPM)
501,003	3	0.40	2.7	0,04	1.9	0.8	1.0	0.017	2.8	-0.04	0.50	0.10	0.3	15	47	0.5	27	0.9	206	360000
501,004	4	0.40	3.7		2.2	0.9	1.0	0.022	3.8	-0.04	0.50	0.10	0.3	20	50	0.5	30	1.2	193	211000
501,005	5	0.60	4.7	-	2.5	1.1	1.0	0.066	4.8	-0.04	0.70	0.10	0.3	26	190	0.5	130	1.5	738	154000
501,006	6	0.70	5.6	0,15	2.7	1.3	1.2	0.084	5.7	-0.04	0.80	0.15	0.5	46	340	0.5	210	2.8	1040	114000
501,007	7	0.80	6.5	0,06	3.1	1.4	1.2	0.121	6.7	-0.06	0.90	0.15	0.5	54	516	0.5	290	3.2	1475	121000
501,008	8	0.80	7.4		3.2	1.5	1.2	0.158	7.6	-0.06	0.90	0.20	0.6	81	520	0.5	290	4.9	1420	96000
501,009	9	1.00	8.4	0,18	3.3	1.7	1.2	0.300	8.6	-0.06	1.10	0.20	0.6	92	1110	0.5	610	5.5	3000	85000
501,010	10	1.00	9.3		3.3	1.8	1.5	0.340	9.6	-0.06	1.10	0.20	0.6	101	1060	1.0	340	6.2	2820	84000
501,011	11	1.00	10.2	-	3.3	1.8	1.5	0.410	10.5	-0.11	1.10	0.25	0.8	140	1010	1.0	310	8.4	2610	70000
501,012	12	1.00	11.0	-	3.3	1.8	1.7	0.500	11.5	-0.11	1.10	0.25	0.8	153	960	1.0	300	9.2	2400	75000
501,013	13	1.00	11.9	-	3.4	2.0	1.7	0.530	12.4	-0.11	1.10	0.30	0.9	200	940	1.0	290	11.9	2320	66000

501,014	14	1,00	12.9	0,10	3.5	2.1	1.7	0.640	13.4	-0.11	1.10	0.30	0.9	215	950	1.0	295	12.9	2290	58000
501,015	15	1,00	13.8	-	3.6	2.2	1.7	0.670	14.3	-0.11	1.10	0.35	1.1	266	915	1.0	285	16.1	2160	50000
501,016	16	1,00	14.7	0,36	3.7	2.2	1.7	0.700	15.2	-0.11	1.10	0.40	1.2	326	910	1.0	285	19.6	2100	45000
501,017	17	1,00	15.7		3.8	2.3	1.7	0.820	16.2	-0.11	1.10	0.40	1.2	346	960	1.5	300	20.8	2160	41000
501,018	18	1,20	16.5		3.9	2.4	2.0	1.110	17.0	-0.11	1.30	0.50	1.5	458	1700	1.5	375	27.5	3710	39000
501,019	19	1,20	17.5		3.9	2.5	2.0	1.220	18.0	-0.11	1.30	0.50	1.5	484	1700	1.5	380	29.1	3640	35000
501,020	20	1,20	18.5		4.0	2.6	2.0	1.300	19.0	-0.13	1.30	0.50	1.5	506	1710	1.5	385	30.6	3630	32000
501,021	21	1,20	19.5	0,13	4.1	2.7	2.0	1.420	20.0	-0.13	1.30	0.50	1.5	536	1680	1.5	375	32.2	3540	29000
501,022	22	1,20	20.5	-	4.2	2.8	2.0	1.500	21.0	-0.13	1.30	0.50	1.5	565	1690	1.5	380	33.8	3540	27000
501,023	23	1,20	21.5	0,42	4.3	2.9	2.0	1.630	22.0	-0.13	1.30	0.50	1.5	590	1660	1.5	380	35.4	3470	25000
501,024	24	1,20	22.2		4.4	3.0	2.0	1.770	22.9	-0.21	1.30	0.55	1.7	675	1610	1.5	365	40.5	3340	27000
501,025	25	1,20	23.2		4.4	3.0	2.0	1.900	23.9	-0.21	1.30	0.55	1.7	705	1620	1.5	370	42.3	3340	25000
501,026	26	1,20	24.2		4.5	3.1	2.0	1.960	24.9	-0.21	1.30	0.55	1.7	734	1610	1.5	370	44.0	3290	24000
501,027	27	1,20	24.9		4.6	3.1	2.0	2.080	25.6	-0.21	1.30	0.70	2.1	963	1640	1.5	380	57.8	3340	22500
501,028	28	1,50	25.9	0,21	4.7	3.2	2.0	2.920	26.6	-0.21	1.60	0.70	2.1	1000	3210	1.5	750	60	6500	21200
501,029	29	1,50	26.9	-	4.8	3.4	2.0	3.200	27.6	-0.21	1.60	0.70	2.1	1037	3180	1.5	745	62	6400	20000
501,030	30	1,50	27.9	0,42	5.0	3.5	2.0	3.320	28.6	-0.21	1.60	0.70	2.1	1073	3210	1.5	765	64	6420	18900
501,031	31	1,50	28.6		5.1	3.5	2.5	3.450	29.3	-0.25	1.60	0.85	2.6	1342	3150	2.0	560	81	6280	17900
501,032	32	1,50	29.6		5.2	3.6	2.5	3.540	30.3	-0.25	1.60	0.85	2.6	1385	3120	2.0	555	83	6180	16900
501,033	33	1,50	30.5		5.2	3.7	2.5	3.690	31.3	-0.25	1.60	0.85	2.6	1430	3160	2.0	565	86	6220	17400
501,034	34	1,50	31.5		5.4	3.8	2.5	3.800	32.3	-0.25	1.85	0.85	2.6	1472	3130	2.0	560	88	6130	16100
501,035	35	1,50	32.2	0,25	5.6	3.9	2.5	4.000	33.0	-0.25	1.85	1.00	3.0	1780	3080	2.0	555	107	6010	15500
501,036	36	1,75	33.2	-	5.6	4.0	2.5	5.000	34.0	-0.25	1.85	1.00	3.0	1833	4940	2.0	900	110	9580	14500
501,037	37	1,75	34.2	0,50	5.7	4.1	2.5	5.370	35.0	-0.25	1.85	1.00	3.0	1880	5000	2.0	915	113	9640	14100
501,038	38	1,75	35.2		5.8	4.2	2.5	5.620	36.0	-0.25	1.85	1.00	3.0	1930	4950	2.0	910	116	9500	13600
501,039	39	1,75	36.0		5.9	4.3	2.5	5.850	37.0	-0.25	1.85	1.00	3.0	1990	4980	2.0	925	119	9520	14500
501,040	40	1,75	36.5		6.0	4.4	2.5	6.030	37.5	-0.25	1.85	1.25	3.8	2530	5100	2.0	950	152	9700	14300
501,041	41	1,75	37.5		6.2	4.5	2.5	6.215	38.5	-0.25	1.85	1.25	3.8	2600	5010	2.0	940	156	9450	13500
501,042	42	1,75	38.5		6.5	4.5	2.5	6.500	39.5	-0.25	1.85	1.25	3.8	2670	5000	2.0	945	160	9370	13000
501,044	44	1,75	40.5		6.6	4.6	2.5	7.000	41.5	-0.25	1.85	1.25	3.8	2800	4850	2.0	920	166	9070	11800
501,045	45	1,75	41.5	0,39	6.7	4.7	2.5	7.500	42.5	-0.25	1.85	1.25	3.8	2860	4900	2.0	935	172	9100	11400

501,046	46	1.75	42.5	-	6.7	4.8	2.5	7.600	43.5	-0.25	1.85	1.25	3.8	2940	4890	2.0	940	177	9020	10900
501,047	47	1.75	43.5	0,90	6.8	4.9	2.5	7.500	44.5	-0.25	1.85	1.25	3.8	3000	4950	2.0	955	180	9070	10500
501,048	48	1.75	44.5		6.9	5.0	2.5	7.900	45.5	-0.25	1.85	1.50	3.8	3070	4940	2.0	955	184	9000	10300
501,050	50	2.00	45.8		6.9	5.1	2.5	10.20	47.0	-0.25	2.15	1.50	4.5	3800	7330	2.0	1440	228	13330	10500
501,052	52	2.00	47.8		7.0	5.2	2.5	11.10	49.0	-0.25	2.15	1.50	4.5	3970	7310	2.5	1150	238	13310	9850
501,054	54	2.00	49.8		7.1	5.3	2.5	11.30	51.0	-0.30	2.15	1.50	4.5	4120	7120	2.5	1130	247	12970	9240
501,055	55	2.00	50.8		7.2	5.4	2.5	11.40	52.0	-0.30	2.15	1.50	4.5	4200	7140	2.5	1140	252	13010	8960
501,056	56	2.00	51.8		7.3	5.5	2.5	11.80	53.0	-0.30	2.15	1.50	4.5	4280	7080	2.5	1135	257	12920	8670
501,057	57	2.00	52.8		7.3	5.5	2.5	12.20	54.0	-0.30	2.15	1.50	4.5	4370	7090	2.5	1145	262	12880	8320
501,058	58	2.00	53.8		7.3	5.6	2.5	12.60	55.0	-0.30	2.15	1.50	4.5	4430	7110	2.5	1150	266	12920	8200
501,060	60	2.00	55.8		7.4	5.8	2.5	12.90	57.0	-0.30	2.15	1.50	4.5	4600	6920	2.5	1130	276	12640	7620
501,062	62	2.00	57.8		7.5	6.0	2.5	14.30	59.0	-0.30	2.15	1.50	4.5	4750	6930	2.5	1145	285	12620	7240
501,063	63	2.00	58.8		7.6	6.2	2.5	15.90	60.0	-0.30	2.15	1.50	4.5	4830	7020	2.5	1160	290	12670	7050
501,065	65	2.50	60.8		7.8	6.3	3.0	18.20	62.0	-0.30	2.65	1.50	4.5	4980	13560	2.5	2270	299	24500	6640
501,067	67	2.50	62.5	0,46	7.9	6.4	3.0	20.30	64.0	-0.30	2.65	1.50	4.5	5130	13610	2.5	2300	308	24500	7090
501,068	68	2.50	63.5	-	8.0	6.5	3.0	21.80	65.0	-0.30	2.65	1.50	4.5	5220	13590	2.5	2310	313	24400	6910
501,070	70	2.50	65.5	1,10	8.1	6.6	3.0	22.00	67.0	-0.30	2.65	1.50	4.5	5380	13420	2.5	2300	323	24100	6530
501,072	72	2.50	67.5		8.2	6.8	3.0	22.50	69.0	-0.30	2.65	1.50	4.5	5530	13180	2.5	2280	332	23650	6190
501,075	75	2.50	70.5		8.4	7.0	3.0	24.60	72.0	-0.30	2.65	1.50	4.5	5760	13000	2.5	2280	346	23400	5740
501,077	77	2.50	72.5		8.5	7.2	3.0	25.70	74.0	-0.30	2.65	1.50	4.5	5930	13130	3.0	1970	356	23840	5550
501,078	78	2.50	73.5		8.6	7.3	3.0	26.20	75.0	-0.30	2.65	1.50	4.5	6000	13130	3.0	1975	360	23950	5450
501,080	80	2.50	74.5		8.6	7.4	3.0	27.30	76.5	-0.30	2.65	1.75	5.3	7160	14840	3.0	1950	430	23630	6100
501,082	82	2.50	76.5		8.7	7.6	3.0	31.20	78.5	-0.30	2.65	1.75	5.3	7350	12800	3.0	1960	441	23750	5860
501,085	85	3.00	79.5		8.7	7.8	3.5	36.40	81.5	-0.35	3.15	1.75	5.3	7620	21540	3.0	3340	457	40500	5710
501,087	87	3.00	81.5	0,54	8.8	7.9	3.5	39.80	83.5	-0.35	3.15	1.75	5.3	7820	22220	3.0	3480	469	40500	5300
501,088	88	3.00	82.5	-	8.8	8.0	3.5	41.20	84.5	-0.35	3.15	1.75	5.3	7900	22180	3.0	3485	474	40600	5200
501,090	90	3.0	84.5		8.8	8.2	3.5	44.5	86.5	-0.35	3.15	1.75	5.3	8080	21720	3.0	3440	485	40100	4980
501,092	92	3.0	86.5		9.0	8.4	3.5	46.0	88.5	-0.35	3.15	1.75	5.3	8270	21700	3.5	2960	496	40400	4810
501,095	95	3.0	89.5		9.4	8.6	3.5	49.0	91.5	-0.35	3.15	1.75	5.3	8550	21220	3.5	2925	513	40000	4550
501,097	97	3.0	91.5		9.4	8.8	3.5	50.2	93.5	-0.35	3.15	1.75	5.3	8730	21110	3.5	2940	524	40100	4400
501,098	98	3.0	92.5		9.5	9.0	3.5	51.8	94.5	-0.35	3.15	1.75	5.3	8820	20810	3.5	2900	529	39700	4300

501,100	100	3.0	94.5	0,54 -	9.6	9.0	3.5	53.7	96.5	-0.35	3.15	1.75	5.3	9000	20640	3.5	2900	540	39700	4180
501,102	102	4.0	95.0		9.7	9.2	3.5	78.0	98.0	-0.54	4.15	2.00	6.0	10460	48230	3.5	6850	628	93500	5000
501,105	105	4.0	98.0		9.9	9.3	3.5	80.0	101	-0.54	4.15	2.00	6.0	10760	47180	3.5	6770	646	92550	4740
501,107	107	4.0	100.0		10.0	9.5	3.5	81.0	103	-0.54	4.15	2.00	6.0	11000	46540	3.5	6730	660	92000	4640
501,108	108	4.0	101.0		10.0	9.5	3.5	81.5	104	-0.54	4.15	2.00	6.0	11100	45980	3.5	6630	666	91250	4350
501,110	110	4.0	103.0		10.1	9.6	3.5	82.0	106	-0.54	4.15	2.00	6.0	11300	45700	3.5	6690	678	91400	4340
501,112	112	4.0	105.0		10.3	9.7	3.5	83.0	108	-0.54	4.15	2.00	6.0	11500	45150	3.5	6660	690	91000	4200
501,115	115	4.0	108.0		10.6	9.8	3.5	84.0	111	-0.54	4.15	2.00	6.0	11820	43860	3.5	6550	709	89400	3970
501,117	117	4.0	110.0		10.8	10.0	3.5	85.0	113	-0.54	4.15	2.00	6.0	12030	43770	3.5	6560	722	89900	3980
501,118	118	4.0	111.0		10.9	10.1	3.5	85.5	114	-0.54	4.15	2.00	6.0	12130	43030	3.5	6480	728	88700	3750
501,120	120	4.0	113.0		11.0	10.2	3.5	86.0	116	-0.54	4.15	2.00	6.0	12350	42460	3.5	6450	741	88200	3685
501,122	122	4.0	115.0		11.2	10.3	4.0	88.0	118	-0.54	4.15	2.00	6.0	12550	41810	4.0	5660	753	87500	3570
501,125	125	4.0	118.0		11.4	10.4	4.0	90.0	121	-0.63	4.15	2.00	6.0	12870	41150	4.0	5650	772	87050	3420
501,127	127	4.0	120.0		11.4	10.5	4.0	95.0	123	-0.63	4.15	2.00	6.0	13080	40730	4.0	5610	785	86800	3340
501,128	128	4.0	121.0		11.5	10.6	4.0	98.0	124	-0.63	4.15	2.00	6.0	13180	40170	4.0	5560	791	85900	3160
501,130	130	4.0	123.0	11.6	10.7	4.0	100	126	-0.63	4.15	2.00	6.0	13400	39550	4.0	5520	804	85200	3180	
501,132	132	4.0	125.0	11.7	10.8	4.0	103	128	-0.63	4.15	2.00	6.0	13600	39600	4.0	5560	816	85900	3080	
501,135	135	4.0	128.0	11.8	11.0	4.0	104	131	-0.63	4.15	2.00	6.0	13920	38950	4.0	5540	835	85400	2950	
501,137	137	4.0	130.0	11.9	11.0	4.0	107	133	-0.63	4.15	2.00	6.0	14130	38040	4.0	5440	848	84000	2940	
501,138	138	4.0	131.0	11.9	11.1	4.0	108	134	-0.63	4.15	2.00	6.0	14230	38140	4.0	5470	854	84500	2780	
501,140	140	4.0	133.0	12.0	11.2	4.0	110	136	-0.63	4.15	2.00	6.0	14450	37650	4.0	5440	867	84000	2760	
501,142	142	4.0	135.0	12.1	11.3	4.0	112	138	-0.63	4.15	2.00	6.0	14660	37080	4.0	5400	880	83300	2690	
501,145	145	4.0	138.0	12.2	11.5	4.0	115	141	-0.63	4.15	2.00	6.0	14960	36700	4.0	5380	898	83300	2600	
501,147	147	4.0	140.0	12.3	11.6	4.0	116	143	-0.63	4.15	2.00	6.0	15160	36170	4.0	5350	910	82650	2580	
501,148	148	4.0	141.0	12.4	11.7	4.0	118	144	-0.63	4.15	2.00	6.0	15260	35770	4.0	5300	916	82000	2470	
501,150	150	4.0	142.0	13.0	11.8	4.0	120	145	-0.63	4.15	2.50	7.5	19300	35750	4.0	5340	1158	82500	2480	
501,152	152	4.0	143.0	13.0	11.9	4.0	128	147	-0.63	4.15	2.50	7.5	19560	35620	4.0	5310	1174	82200	2830	
501,155	155	4.0	146.0	13.0	12.0	4.0	135	150	-0.63	4.15	2.50	7.5	19960	35290	4.0	5260	1198	81450	2710	
501,157	157	4.0	148.0	13.1	12.0	4.0	140	152	-0.63	4.15	2.50	7.5	20200	35270	4.0	5250	1212	81400	2680	
501,158	158	4.0	149.0	13.1	12.1	4.0	145	153	-0.63	4.15	2.50	7.5	20350	35310	4.0	5270	1221	81500	2540	
501,160	160	4.0	151.0	13.3	12.2	4.0	150	155	-0.63	4.15	2.50	7.5	20610	34920	4.0	5220	1237	80600	2540	

501,162	162	4.0	152.5	0,72	13.3	12.3	4.0	155	157	-0.63	4.15	2.50	7.5	20850	34860	5.0	4170	1251	80450	2640
501,165	165	4.0	155.5		13.5	12.5	4.0	160	160	-0.63	4.15	2.50	7.5	21250	34530	5.0	4140	1275	79700	2520
501,167	167	4.0	157.5			12.9	4.0	163	162	-0.63	4.15	2.50	7.5	21510	35490	5.0	4250	1291	81900	2530
501,168	168	4.0	158.5			12.9	4.0	165	163	-0.63	4.15	2.50	7.5	21660	35310	5.0	4240	1300	81500	2490
501,170	170	4.0	160.5			12.9	4.0	170	165	-0.63	4.15	2.50	7.5	21910	34920	5.0	4190	1315	80600	2440
501,172	172	4.0	162.5			12.9	4.0	175	167	-0.63	4.15	2.50	7.5	22160	34450	5.0	4130	1330	79500	2340
501,175	175	4.0	165.5			12.9	4.0	180	170	-0.63	4.15	2.50	7.5	22550	34010	5.0	4070	1353	78500	2300
501,177	177	4.0	167.5			13.5	4.0	183	172	-0.63	4.15	2.50	7.5	22830	33550	5.0	4020	1370	77440	2200
501,178	178	4.0	168.5			13.5	4.0	185	173	-0.63	4.15	2.50	7.5	22960	34970	5.0	4200	1378	80700	2240
501,180	180	4.0	170.5			13.5	4.0	190	175	-0.63	4.15	2.50	7.5	23220	34530	5.0	4140	1393	79700	2180
501,182	182	4.0	172.5			13.5	4.0	195	177	-0.63	4.15	2.50	7.5	23500	34190	5.0	4100	1410	78900	2130
501,185	185	4.0	175.5			13.5	4.0	200	180	-0.63	4.15	2.50	7.5	23860	33670	5.0	4040	1432	77700	2070
501,187	187	4.0	177.5			14.0	4.0	203	182	-0.72	4.15	2.50	7.5	24150	33840	5.0	4050	1449	78100	2035
501,188	188	4.0	178.5			14.0	4.0	205	183	-0.72	4.15	2.50	7.5	24280	33770	5.0	4060	1457	77950	2035
501,190	190	4.0	180.5			14.0	4.0	210	185	-0.72	4.15	2.50	7.5	24510	33380	5.0	4000	1471	77050	1970
501,192	192	4.0	182.5			14.0	4.0	215	187	-0.72	4.15	2.50	7.5	24800	33060	5.0	3960	1488	76300	1915
501,195	195	4.0	185.5			14.0	4.0	220	190	-0.72	4.15	2.50	7.5	25180	32540	5.0	3900	1511	75100	1835
501,197	197	4.0	187.5			14.0	4.0	223	192	-0.72	4.15	2.50	7.5	25460	32240	5.0	3860	1528	74400	1770
501,198	198	4.0	188.5			14.0	4.0	225	193	-0.72	4.15	2.50	7.5	25580	32270	5.0	3870	1535	73900	1770
501,200	200	4.0	190.5			14.0	4.0	230	195	-0.72	4.15	2.50	7.5	25830	31920	5.0	3830	1550	73100	1770
501,202	202	5.0	190.0			14.0	4.0	235	196	-0.72	5.15	3.00	9.0	31250	62440	6.0	6250	1875	143000	1970
501,205	205	5.0	193.0			14.0	4.0	240	199	-0.72	5.15	3.00	9.0	31750	61170	6.0	6130	1905	140100	1960
501,207	207	5.0	195.0		14.0	4.0	243	201	-0.72	5.15	3.00	9.0	32010	60800	6.0	6090	1921	139250	1960	
501,208	208	5.0	196.0		14.0	4.0	245	202	-0.72	5.15	3.00	9.0	32160	60500	6.0	6050	1930	138550	1835	
501,210	210	5.0	198.0		14.0	4.0	248	204	-0.72	5.15	3.00	9.0	32150	59820	6.0	5990	1951	137000	1835	
501,212	212	5.0	200.0		14.0	4.0	250	206	-0.72	5.15	3.00	9.0	32810	59340	6.0	5950	1969	135900	1770	
501,215	215	5.0	203.0	0,72	14.0	4.0	255	209	-0.72	5.15	3.00	9.0	33280	58510	6.0	5855	1997	134000	1712	
501,217	217	5.0	205.0	-	14.0	4.0	260	211	-0.72	5.15	3.00	9.0	33630	58070	6.0	5810	2018	133000	1680	
501,218	218	5.0	206.0	1,70	14.0	4.0	263	212	-0.72	5.15	3.00	9.0	33730	57720	6.0	5780	2024	132200	1645	
501,220	220	5.0	208.0		14.0	4.0	265	214	-0.72	5.15	3.00	9.0	34080	57240	6.0	5730	2045	131100	1620	
501,222	222	5.0	210.0		14.0	4.0	270	216	-0.72	5.15	3.00	9.0	34360	56760	6.0	5680	2062	130000	1575	

501,225	225	5.0	213.0		14.0	4.0	275	219	-0.72	5.15	3.00	9.0	34910	55980	6.0	5600	2095	128200	1525
501,227	227	5.0	215.0		14.0	4.0	280	221	-0.72	5.15	3.00	9.0	35160	55500	6.0	5550	2110	127100	1490
501,228	228	5.0	216.0		14.0	4.0	283	222	-0.72	5.15	3.00	9.0	35330	55230	6.0	5340	2120	126500	1485
501,230	230	5.0	218.0		14.0	4.0	290	224	-0.72	5.15	3.00	9.0	35660	54890	6.0	5500	2140	125700	1445
501,232	232	5.0	220.0		14.0	4.0	295	226	-0.72	5.15	3.00	9.0	35910	54300	6.0	5450	2155	124350	1420
501,235	235	5.0	223.0		14.0	4.0	300	229	-0.72	5.15	3.00	9.0	36410	53710	6.0	5380	2185	123000	1375
501,237	237	5.0	225.0		14.0	4.0	305	231	-0.72	5.15	3.00	9.0	36700	53270	6.0	5340	2202	122000	1350
501,238	238	5.0	226.0		14.0	4.0	308	232	-0.72	5.15	3.00	9.0	36910	53030	6.0	5300	2215	121450	1335
501,240	240	5.0	228.0		14.0	4.0	310	234	-0.72	5.15	3.00	9.0	37260	53030	6.0	5300	2236	121450	1305

Utilizar Códigos em **AZUL** preferencialmente.
de 160 mm sob consulta.

Dimensões d₁ acima

Reservamo-nos ao direito de modificação das dimensões acima sem consulta prévia.